

# XJY-6010/6011/6012 Methyl MQ silicone

Defoamer/waterproof application

XJY-6010/XJY-6011 /XJY-6012 methyl MQ silicone resin is a solid powdered resin. This resin can provide good defoaming, hydrophobic and waterproof properties.

Trademark	XJY-6010	XJY-6011	XJY-601 2
Exterior	White powder		
M/Q	0.65-0.75	0.6-0.8	0.65-0.75
Volatile matter%	≤1.5%		
Toluene insoluble matter content	≤0.1%		
product advantages	<ul style="list-style-type: none"> <li>●Good tackiness</li> <li>●Good defoaming performance</li> <li>●Good high temperature resistance and weather resistance</li> <li>●Good film-forming properties</li> <li>●Excellent cohesion</li> </ul>	<ul style="list-style-type: none"> <li>●Good thickening</li> <li>●Good anti-foaming performance</li> <li>●Good temperature resistance</li> <li>●Good film-forming ability</li> <li>●Good waterproofness</li> <li>●Easy to</li> </ul>	<ul style="list-style-type: none"> <li>●Excellent thickening properties</li> <li>●Excellent rapid defoaming performance</li> <li>●Good high temperature resistance and weather resistance</li> <li>●Good film-forming properties</li> </ul>

		emulsify	
--	--	----------	--

### **Applications**

- Waterproof coating
- Defoaming agent
- Electronic protective coating

### **Packaging, storage and transportation**

XJY-6010 /601 1/6012 can be provided in 25kg cardboard drum packaging. If you have special requirements, you can negotiate and customize them.

When this product is stored in its original unopened packaging at a storage temperature of 25°C and below, the product is valid for 18 months from the date of production. If the storage period exceeds the product, the product should be re-tested. If it meets the quality requirements, it can still be used.

### **Precautions**

- ◆The pH value of this series of products is near neutral. If it accidentally comes into contact with the skin or eyes, please rinse immediately with

plenty of water and go to the hospital for treatment.

◆ This product has not been tested or represented as suitable for medical or pharmaceutical use.

◆ This information does not include the required safe use information of the product. Please read the product instructions before use.

## XJY-6310/XJY-6311

### Methyl MQ Silicone Resin Liquid Resin

Defoamer/Waterproofing Applications

XJY-6310/XJY-6311 is methyl MQ silicone liquid resin. This resin can provide good defoaming, hydrophobic and waterproof properties.

<b>Trademark</b>	XJY-6310	XJY-6311
<b>Exterior</b>	colorless transparent liquid	
<b>M/Q</b>	0.65-0.75	0.6-0.8

<b>Volatile matter%</b>	$\leq 1.5\%$	
<b>Toluene insoluble matter content</b>	$\leq 0.1\%$	
<b>product advantages</b>	<ul style="list-style-type: none"> <li>● Good tackiness</li> <li>● Good defoaming performance</li> <li>● Good high temperature resistance and weather resistance</li> <li>● Good film-forming properties</li> <li>● Excellent cohesion</li> </ul>	<ul style="list-style-type: none"> <li>● Good thickening</li> <li>● Good anti-foaming performance</li> <li>● Good temperature resistance</li> <li>● Good film forming ability</li> <li>● Good water resistance</li> <li>● Easy to emulsify</li> </ul>
<b>Product differences</b>	XJY-6311 Comparison XJY-6310 is a higher molecular weight methyl MQ silicone resin with good cohesion and excellent thickening and adsorption capabilities. and sustained foam suppression performance.	

### Applications

- Waterproof coating
- Defoaming agent
- Electronic protective coating

### Packaging, storage and transportation

XJY-6310 /6311 can be provided in 200kg iron drum packaging. If you have special requirements, you can negotiate and customize them.

When this product is stored in its original unopened packaging at a storage temperature of 25°C and below, the product is valid for 18 months from the date of production. If the storage period exceeds the product, the product should

be re-tested. If it meets the quality requirements, it can still be used. .

### Precautions

- ◆ The pH value of this series of products is near neutral. If it accidentally comes into contact with the skin or eyes, please rinse immediately with plenty of water and go to the hospital for treatment.
- ◆ This product has not been tested or represented as suitable for medical or pharmaceutical use.
- ◆ This information does not include the required safe use information of the product. Please read the product instructions before use.



## XJY-6210 MDT silicone oil

Defoaming agent application

XJY-6210 is MDT silicone oil . It is a polymethylsiloxane liquid with a spatial structure that can provide good waterproof and defoaming properties.

<b>Trademark</b>	XJY-6210
<b>Exterior</b>	Colorless or light yellow transparent liquid
<b>Volatile matter%</b>	1.5 ≤%
<b>viscosity</b>	80-120mpa.s
<b>product advantages</b>	<ul style="list-style-type: none"><li>●Good high temperature resistance and weather resistance</li><li>●Good defoaming performance</li></ul>

- |  |                               |
|--|-------------------------------|
|  | ●Good film-forming properties |
|--|-------------------------------|

### **Applications**

- Waterproof material
- Defoaming agent

### **Packaging, storage and transportation**

XJY-6210 can be packaged in 200Kg iron drum or 1000Kg IBC drum. If you have special requirements, you can negotiate and customize them.

When this product is stored in its original unopened packaging at a storage temperature of 25°C and below, the product is valid for 12 months from the date of production. If the storage period exceeds the product, the product should be re-tested. If it meets the quality requirements, it can still be used. .

**Precautions**

- ◆ The pH value of this series of products is near neutral. If it accidentally comes into contact with the skin or eyes, please rinse immediately with plenty of water and go to the hospital for treatment.
- ◆ This product has not been tested or represented as suitable for medical or pharmaceutical use.
- ◆ This information does not include the required safe use information of the product. Please read the product instructions before use.